




# 01-PLAN VIEW




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	1/8	REFERENCE: MPGO!EVOLUTION630ST2_EN	
MODEL LIFT:				CLIENT:	<b>MP LIFTS</b>
<b>MP GO! EVOLUTION</b>				WORK SITUATION:	
CAPACITY: [N° PERSONS]			8		
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]			

# 01B-PLAN VIEW



## NOMENCLATURE

- C: Wiring channel
- CC: Car ceiling connection box
- CF: Pit box
- CL: Shaft light switch
- DOC: Operator control box
- L: Lamp
- LOB: Pushbutton control board
- MI: Inspection control station
- PT: Fixed cam
- RF: Brake resistor
- ST: Stopping device
- SC: Travelling cable support



DRAWING	DATE	REV.	SHEET
MP	2017	00	2/8
MODEL LIFT:			
<b>MP GO! EVOLUTION</b>			
CAPACITY: [N° PERSONS]			8
NOMINAL LOAD: [kg]			630
SPEED: [m/s]			1
FREQUENCY: [Hz]			50
TENSION: [V]		380V [Three-phase]	

[\*] Unbounded dimensions in drawings are indicative and not binding.


REFERENCE:  
MPGO!EVOLUTION630ST2\_EN

CLIENT:  
WORK SITUATION:



## MP LIFTS

# 02-SIDE VERTICAL SECTION




DRAWING		DATE		REV.	SHEET
		2017	00	3/8	
MP		REFERENCE: MPGOIEVOLUTION630ST2_EN			
MODEL LIFT:		MP GOI EVOLUTION			
CAPACITY: [N° PERSONS]		8			
NOMINAL LOAD: [kg]		630			
SPEED: [m/s]		1			
FREQUENCY: [Hz]		50			
TENSION: [V]		380V [Three-phase]			
CLIENT:		MP LIFTS			
WORK SITUATION:					


Flat and levelled floor, protected against water leaking.  
[EN81-20:2014 5.2.1.9]  
Foresee pit access device  
[EN81-20:2014 5.2.2.4]  
Stop device  
[EN81-20:2014 5.2.1.5.1. a]  
Inspection control station.  
[EN81-20:2014 5.2.1.5.1. b]  
Power supply  
[EN81-20:2014 5.2.1.5.1. c]  
Light switch commuted with the cabinet.  
[EN81-20:2014 5.2.1.5.1. d]




# 03B-FIXING DETAILS IN HEADROOM



COUNTERWEIGHT OPPOSITE WALL  
SCALE[\*]: 1:50




COUNTERWEIGHT WALL  
SCALE[\*]: 1:50


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	4/8		
MODEL LIFT:				REFERENCE: MPGO!EVOLUTION630ST2_EN	
<b>MP GO! EVOLUTION</b>				CLIENT:	
CAPACITY: [N° PERSONS]			8	WORK SITUATION:	
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]		380V [Three-phase]		<b>MP LIFTS</b>	

# 04-BEAM AND LIFTING HOOKS


POSITION OF REMOVABLE LIFTING HOOKS ABLE TO SUPPORT  
1000 kg EACH ONE SUPPLIED BY CONSTRUCTOR  
(RECOMMENDED POSITION LOADHOOKS)



SCALE[\*]: 1:15

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	5/8		
MODEL LIFT:				REFERENCE:	
<b>MP GO! EVOLUTION</b>				MPGO!EVOLUTION630ST2_EN	
CAPACITY: [N° PERSONS]				CLIENT:	<p><b>MP LIFTS</b></p>
NOMINAL LOAD: [kg]				WORK SITUATION:	
SPEED: [m/s]					
FREQUENCY: [Hz]					
TENSION: [V]					
				380V [Three-phase]	



# 05-PIT LAYOUT




REACTIONS [N] [max.]					
R1	30000	R2	22000		
R1'	26000	R2'	23000		
R3	31500	R4	17000		
N	2000	T	1100		


DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.		
MP	2017	00	6/8	REFERENCE: MPGO!EVOLUTION630ST2_EN		
MODEL LIFT:				CLIENT:		<b>MP LIFTS</b>
<b>MP GO! EVOLUTION</b>				WORK SITUATION:		
CAPACITY: [N° PERSONS]			8			
NOMINAL LOAD: [kg]			630			
SPEED: [m/s]			1			
FREQUENCY: [Hz]			50			
TENSION: [V]			380V [Three-phase]			

# 06-DOOR HOLE DETAIL




DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	7/8	REFERENCE: MPGO!EVOLUTION630ST2_EN	
MODEL LIFT:				CLIENT: WORK SITUATION:	
<b>MP GO! EVOLUTION</b>					
CAPACITY: [N° PERSONS]			8		
NOMINAL LOAD: [kg]			630		
SPEED: [m/s]			1		
FREQUENCY: [Hz]			50		
TENSION: [V]			380V [Three-phase]	<b>MP LIFTS</b>	

# 07-HEADROOM



SCALE[\*]: 1:25

DRAWING	DATE	REV.	SHEET	[*] Unbounded dimensions in drawings are indicative and not binding.	
MP	2017	00	8/8		
MODEL LIFT:				REFERENCE:	
<b>MP GO! EVOLUTION</b>				MPGO!EVOLUTION630ST2_EN	
CAPACITY: [N° PERSONS]				CLIENT:	
NOMINAL LOAD: [kg]				WORK SITUATION:	
SPEED: [m/s]					
FREQUENCY: [Hz]					
TENSION: [V]					
380V [Three-phase]					<b>MP LIFTS</b>